

Mainstem Salmon River Watershed

Goals	Mainstem Salmon River, Middle Fork to North Fork	Mainstem Salmon River, North Fork to Pahsimeroi	Mainstem Salmon River, Pahsimeroi to East Fork, except 12-Mile Section	Mainstem Salmon River, "12-Mile" Section	Mainstem Salmon River, East Fork to Headwaters	Panther Creek, mouth to Blackbird Creek
1) Increase instream flows during critical fish migration periods.	L	L	L	L	H@	L
2) Reduce the number of physical barriers hindering fish migration.	L	L	M	H	M	L
3) Develop new rearing and resting pools.	L	L	L	H*	M	L
4) Establish riparian vegetation along critical areas to provide cover and reduce temperatures.	L	M	M	H	H	M
5) Reduce the sediment levels within spawning gravels.	L	L	M	H	H?	M

H = High Priority

H* Refers to development of pools in side channels.

H@ Refers to portion of river above Alturas

H? Need more data, compare to Lemhi & Pahsimeroi.

M = Medium Priority

M? Refers to geomorphological function

L = Low Priority

H, M, L = Updated Priority (5/6/2009)

Mainstem Salmon River Watershed Tribs

Goals	North Fork Salmon River	Yankee Fork Salmon River	Mainstem Salmon River tribs, Middle Fork to North Fork	Mainstem Salmon River tribs, North Fork to Pahsimeroi	Mainstem Salmon River tribs, Pahsimeroi to East Fork	Mainstem Salmon River tribs, East Fork to Headwaters	Panther Creek, Blackbird Creek to Headwaters	Valley Creek & Tribs
1) Increase instream flows during critical fish migration periods.	M	L	L	H	H	H	L	M
2) Reduce the number of physical barriers hindering fish migration.	L	L	M	H	H	H	M	M
3) Develop new rearing and resting pools.	M	M#	L	M	L	L	M	M
4) Establish riparian vegetation along critical areas to provide cover and reduce temperatures.	L	M	L	M	M	M	M	M
5) Reduce the sediment levels within spawning gravels.	L	M	L	L	H	M	M	L*

H = High Priority

H* Refers to development of pools in side channels.

H@ Refers to portion of river above Alturas

M = Medium Priority

M# Refers to geomorphological function

L = Low Priority

L* Rated low until further data

H, M, L = Updated Priority (5/6/2009)

Lemhi River Watershed

Goals	Lemhi River, mouth to Agency Creek	Lemhi River, Agency Creek to Hayden Creek	Lemhi River, Hayden Creek to Leadore	Big Springs Creek	Hayden Creek	Other Lemhi Tribs and Lemhi Headwaters
1) Increase instream flows during critical fish migration periods.	H	L	M	M	M	H
2) Reduce the number of physical barriers hindering fish migration.	H	L	L	L	H	H
3) Develop new rearing and resting pools.	H	M	M	M	M	M
4) Establish riparian vegetation along critical areas to provide cover and reduce temperatures.	M	M	H	H	M	M
5) Reduce the sediment levels within spawning gravels.	L	L	H	H	M	M

H = High Priority

M = Medium Priority

L = Low Priority

H, M, L = Updated Priority (5/6/2009)

Pahsimeroi River Watershed

Goals	Pahsimeroi River, mouth to Hooper Lane	Patterson Creek / Big Springs Creek	Other Pahsimeroi Tribs and Headwaters
1) Increase instream flows during critical fish migration periods.	H	M	H
2) Reduce the number of physical barriers hindering fish migration.	H	H	H
3) Develop new rearing and resting pools.	L	M	M
4) Establish riparian vegetation along critical areas to provide cover and reduce temperatures.	H	H	H
5) Reduce the sediment levels within spawning gravels.	H	H	H

H = High Priority

M = Medium Priority

L = Low Priority

H, M, L = Updated Priority (5/6/2009)

East Fork Salmon River Watershed

Goals	East Fork Salmon River, mouth to Herd Creek	East Fork R., Herd Creek to Germainia Creek	Herd Creek	Other East Fork Tribs and Headwaters
1) Increase instream flows during critical fish migration periods.	L	L	L	M
2) Reduce the number of physical barriers hindering fish migration.	M	M	M	M
3) Develop new rearing and resting pools.	M	M	M	L
4) Establish riparian vegetation along critical areas to provide cover and reduce temperatures.	M	H	M	M
5) Reduce the sediment levels within spawning gravels.	M	L	H	M

H = High Priority

M = Medium Priority

L = Low Priority

H, M, L = Updated Priority (5/6/2009)